

Addendum 1, Solicitation No. 09-A029

(2) COMPACT TRACK LOADERS FOR CARROLL COUNTY PUBLIC WORKS AND RECREATION DEPARTMENTS

The Carroll County Board of Commissioners submits Addendum 1 to Solicitation No. 09-A029, **(2) COMPACT TRACK LOADERS FOR CARROLL COUNTY PUBLIC WORKS AND RECREATION DEPARTMENTS**. The County may purchase an additional Compact Track Loader for the Recreation Department on this Invitation to Bid. This will bring the total to 3 Compact Track Loaders. The equipment specifications outlined in the original Invitation to Bid have been changed as follows:

1. Delete Section III, B (Specifications) and replace with the table below:

COMPACT TRACK LOADER - RECREATION	
Compact Track Loader - General	
Open Canopy – w/std features, ROPS & FOPS Compliant	Open Canopy
Engine	
Fuel	Diesel
Tier III Compliant	Yes
Net Horsepower	Min 80HP
Engine Cylinders	4
Engine Displacement	Minimum 195 cu in
Stroke	4-cycle
Combustion	Direct Injection
Aspiration	Turbocharged
Cooling	Liquid Cooled
Transmission	
Type	Hydrostatic
Speed	Delete specification
Top Speed	6-9 mph
Track	
Type	Rubber, 18 in
Bucket	
Smooth Bucket - Standard	Yes
Weight	
Rated Operating Cap: 50% Tipping	Min 3550
Tipping Load	Min 6,200
Electrical	
Type	12 Volt System
Amps	Min 90 Amp
Controls	

Type	Joystick
Lift Height	
Range	120 – 125 in
Required Options	
Toothed Bucket Attachment	Yes
Grapple Bucket Attachment, Solid Bottom	Yes
Auger Attachment	Yes, 8 in
Trencher Attachment, 48 in	Yes
Forklift Attachment, 48 in	Yes
Trailer, Tandem Axle w/Pintle Hitch	Yes
* Hi-Lighted areas represent the changes from the original Invitation to Bid.	

2. Delete Section III, C (Specifications) and replace with the table below:

COMPACT TRACK LOADER – PUBLIC WORKS	
Compact Track Loader - General	
Enclosed Cab – w/std features, ROPS & FOPS Compliant.	Enclosed Cab
Air Conditioning	Yes
Heating	Yes
Engine	
Fuel	Diesel
Tier III Compliant	Yes
Net Horsepower	Min 80HP
Engine Cylinders	4
Engine Displacement	Minimum 195 cu in
Stroke	4-cycle
Combustion	Direct Injection
Aspiration	Turbocharged
Cooling	Liquid Cooled
Transmission	
Type	Hydrostatic
Speed	Delete specification
Top Speed	6-9 mph
Track	
Type	Rubber, 18 in
Bucket	
Toothed Bucket	Yes
Weight	
Rated Operating Cap: 50% Tipping	Min 3550
Tipping Load	Min 6,200
Electrical	
Type	12 Volt System
Amps	Min 90 Amp
Controls	

Type	Joystick
Lift Height	
Range	120 – 125 in
Required Options	
Bushcutter Attachment	Yes, 6ft
Grapple Bucket Attachment, Solid Bottom	Yes
Quick Attach - System	Yes
* Hi-Lighted areas represent the changes from the original Invitation to Bid.	

3. Replace Attachments 1 and 2 of the original Invitation to Bid with the new Attachments 1 and 2 provided with this addendum.

All other Specifications, Terms and Conditions, not affected by the above changes and additions, remain in effect.

Bidders shall indicate in their proposals they have receive this addendum (Addendum 1), (2) COMPACT TRACK LOADERS FOR CARROLL COUNTY PUBLIC WORKS AND RECREATION DEPARTMENTS (Solicitation 09-A029). Proposals without this acknowledgement may be rejected.

R. Benedict
Purchasing Manager
(770) 830-5868
rbenedict@carrollcountyga.com

Attachment 1

Bidder shall check (√) appropriate column for their specification. The actual specification should be annotated in the “Actual Column”. Specifications, which do not meet or exceed, should be explained in the exception table below this form.

COMPACT TRACK LOADER – RECREATION DEPARTMENT					
County Minimum Specification		Vendor’s Match to Specifications			
		Vendor’s Model # -			
Compact Track Loader		Meets	Exceeds	Not Meet	Actual
Open Canopy – w/std features, ROPS & FOPS Compliant	Open Canopy				
Engine					
Fuel	Diesel				
Tier III Compliant	Yes				
Net Horsepower	Min 80HP				
Engine Cylinders	4				
Engine Displacement	Minimum 195 cu in				
Stroke	4-cycle				
Combustion	Direct Injection				
Aspiration	Turbocharged				
Cooling	Liquid Cooled				
Transmission					
Type	Hydrostatic				
Speed	Delete specification				
Top Speed	6-9 mph				
Track					
Type	Rubber, 18 in				
Bucket					
Smooth Bucket - Standard	Yes				
Weight					
Rated Operating Cap: 50% Tipping	Min 3550				
Tipping Load	Min 6,200				
Electrical					
Type	12 Volt System				
Amps	Min 90 Amp				
Controls					
Type	Joystick				
Lift Height					
Range	120 – 125 in				

Attachment 2

Bidder shall check (√) appropriate column for their specification. The actual specification should be annotated in the “Actual Column”. Specifications, which do not meet or exceed, should be explained in the exception table below this form.

COMPACT TRACK LOADER – PUBLIC WORKS					
County Minimum Specifications		Vendor’s Match to Specifications			
		Vendor’s Model -			
Compact Track Loader - General		Meet	Exceed	Not Exceed	Actual
Enclosed Cab – w/std features, ROPS & FOPS Compliant.	Enclosed Cab				
Air Conditioning	Yes				
Heating	Yes				
Engine					
Fuel	Diesel				
Tier III Compliant	Yes				
Net Horsepower	Min 80HP				
Engine Cylinders	4				
Engine Displacement	Minimum 195 cu in				
Stroke	4-cycle				
Combustion	Direct Injection				
Aspiration	Turbocharged				
Cooling	Liquid Cooled				
Transmission					
Type	Hydrostatic				
Speed	Delete specification				
Top Speed	6-9 mph				
Track					
Type	Rubber, 18 in				
Bucket					
Toothed Bucket	Yes				
Weight					
Rated Operating Cap: 50% Tipping	Min 3550				
Tipping Load	Min 6,200				
Electrical					
Type	12 Volt System				
Amps	Min 90 Amp				
Controls					
Type	Joystick				
Lift Height					

